## WYOMING DEPARTMENT OF ENVIRONMENTAL QUALITY WATER AND WASTEWATER OPERATOR CERTIFICATION PROGRAM SUPPLEMENTAL EXPERIENCE FORM

**************************************	***********	*******	*********	
First Name:	Middle Name:	Last Name:		
Mailing Address:				
City:		State:	Zip:	
Work Phone:	Home Phone:	Cell I	Phone:	
Email:		Date of Bir	Date of Birth:	
submitted is to the best of penalties for submitting f	law that this document and all attaces my knowledge and belief, true, according information.  Applicant Signature:	curate and complete.	I am aware that there are	
	*********			
Employment Information		יין אין יאין יאין יאין יאין יאין יאין י	<i>~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~</i>	
<ol> <li>If you have additing please complete a</li> <li>Some jobs not speemployment your number of hours seemployment.</li> </ol>	loyment should already be listed on onal experience as an operator that page for EACH work experience. Excifically in the water field may be wish to have considered, including a pent on each activity each week.	you wish to have addusted to meet experien	nce requirements. List any	
<ul><li>4. Attach more sheet</li><li>5. Submit the compl</li></ul>	· ·			

Email to: opcert@wyo.gov

If unable to submit by e-mail: **Fax to:** 307-777-6779

Mail to: Operator Certification - Water Quality Division

122 West 25th Street Herschler Building 4W Cheyenne, WY 82002

		Supervisor:(Check One) Full TimePart Time
		Average Hours Worked Per Week
City:		Dates of Employment (mo/day/yr)
State:	Zip:	Dates of Employment (mo/day/yr)To:
Nater Treatment a	nd Distribution Duties	
		ch week on the activities listed below.
repairing or insta disinfection	alling potable water lines, se	ning, deposition control, backflushing, etc.) ervice lines, taps, or storage facilities (trenching, bedding, backfilling, lines; corrosion control
	ng rates, level controls, and	on/off cycles relative to potable water wells, booster stations, and water
		isinfection, fluoridation, coagulation, sedimentation, flocculation, and
controlling disinf	ical precipitation softening	ozone, chlorine dioxide, ultraviolet, or onsite generation of hypochlorite nterpreting process control data
using bag/cartrid		exchange, or direct or conventional filtration
feed rates,	and/or other chemicals	als, lime and/or soda ash dosages, recarbonation, or diatomaceous earth
feed rates, f your operational task	and/or other chemicals  ks are not adequately descri	ibed in the list above, please list your duties on the lines below and the ling these duties.
feed rates, f your operational task	and/or other chemicals  ks are not adequately descri	ibed in the list above, please list your duties on the lines below and the
feed rates, f your operational task verage number of hou	and/or other chemicals  ks are not adequately descri	ibed in the list above, please list your duties on the lines below and the ing these duties.   es
feed rates,  f your operational task verage number of hou  Wastewater Treatm Enter the average number of in disinfect	and/or other chemicals  ks are not adequately descriptions per week spent performs  ment and Collection Dution of hours you spent each stalling wastewater collection, etc.)	es a week on the activities listed below.  tion lines, service lines, or taps (trenching, bedding, backfilling)
feed rates,  f your operational task verage number of house  Wastewater Treatm Enter the average number of in disinfect rodding, jetting, adjusting pumpir controlling chem	and/or other chemicals  ks are not adequately descripted and collection Dution of hours you spent each stalling wastewater collection, etc.)  or other cleaning of wastewing rates, level controls, and ical feed rates for disinfecti	es a week on the activities listed below.  tion lines, service lines, or taps (trenching, bedding, backfilling ater collection lines on/off cycles relative to lift stations and wastewater treatment plants on of wastewater effluent
feed rates,  f your operational task verage number of house  Vastewater Treatm  Enter the average number of disinfect rodding, jetting, adjusting pumpir controlling chemoperating, maintacalculating plant	and/or other chemicals  ks are not adequately descripts per week spent performs  ment and Collection Dution of hours you spent each stalling wastewater collection, etc.)  or other cleaning of wastewing rates, level controls, and ical feed rates for disinfectioning, and cleaning wastew operating efficiencies and i	es a week on the activities listed below.  etion lines, service lines, or taps (trenching, bedding, backfilling atter collection lines on/off cycles relative to lift stations and wastewater treatment plants
Feed rates,  f your operational task verage number of house  Wastewater Treatm Enter the average number of disinfect rodding, jetting, adjusting pumping controlling chemoperating, maintagel calculating plant handling sludge apperating digester controlling and of	and/or other chemicals  ks are not adequately descripted and collection Dution of hours you spent each stalling wastewater collection, etc.)  or other cleaning of wastewing rates, level controls, and ical feed rates for disinfectioning, and cleaning wastew operating efficiencies and it and solids, including operations are subjected in the solids, including operations of the solids of the solid o	es tweek on the activities listed below.  Attion lines, service lines, or taps (trenching, bedding, backfilling atter collection lines on/off cycles relative to lift stations and wastewater treatment plants on of wastewater effluent rater treatment structures (bar screens, grit chambers, comminutors, etc.) interpreting process control data
Feed rates,  f your operational task verage number of house  Wastewater Treatm  Enter the average number of disinfect rodding, jetting, adjusting pumping controlling cheme operating, maintacalculating plant handling sludge a operating digester controlling and of managing lagoor.	nent and Collection Duti- ber of hours you spent each stalling wastewater collection, etc.) or other cleaning of wastew ing rates, level controls, and ical feed rates for disinfectioning, and cleaning wastew operating efficiencies and it and solids, including operations and sludge conditioners operating trickling filter or reas	es aweek on the activities listed below.  The collection lines on the activities listed below.  The collection lines on the service lines, or taps (trenching, bedding, backfilling atter collection lines on/off cycles relative to lift stations and wastewater treatment plants on of wastewater effluent rater treatment structures (bar screens, grit chambers, comminutors, etc.) interpreting process control data ing clarifiers, controlling return and waste sludge rates